9/19/2008

Table 2. Descriptive Analysis of All Facility Incident Management Capabilities

Item	Mean (SD)	N(%)	Item	Mean (SD)	N(%)
Incident Recognition,	2.26		Public	2.09	
Activation and Initial	(.81)		Information	(1.00)	
Notification			Management		
Exemplary		4 (17.4)	Exemplary		8 (34.8)
Excellent		10 (43.5)	Excellent		7 (30.4)
Developed		8 (34.8)	Developed		6 (26.1)
Being Developed		1 (4.3)	Being Developed		2 (8.7)
Needs Attention			Needs Attention		
Mobilization	2.35		Resource	2.65	
	(.78)		Management	(.83)	
Exemplary		1 (13.0)	Exemplary		1 (4.3)
Excellent		10 (43.5)	Excellent		10 (43.5)
Developed		9 (39.1)	Developed		8 (34.8)
Being Developed		1 (4.3)	Being Developed		4 (17.4)
Needs Attention			Needs Attention		
Initial Incident	2.43		Demobilization	2.91	
Management/Emergency	(.59)			(.85)	
Operations Center					
Exemplary		1 (4.3)	Exemplary		2(8.7)
Excellent		11(47.8)	Excellent		3(13.0)
Developed		11(47.8)	Developed		13(56.5)
Being Developed			Being Developed		5 (21.7)
Needs Attention			Needs Attention		
Ban an an and a f	0.74		Determ T	0.04	
Management of	2.74		Return To	2.91	
Extended Incident	(.62)		Readiness	(.85)	
Operations					
Exemplary		1 (4.3)	Exemplary		1 (8.7)
Excellent		5 (21.7)	Excellent		3 (13.0)
Developed		16 (69.6)	Developed		13 (56.5)
Being Developed		1 (4.3)	Being Developed		5 (21.7)
Needs Attention			Needs Attention		

^{*}Note. 1 = Exemplary; 2 = Excellent; 3 = Developed; 4 = Being Developed; 5 = Needs Attention